

NATURE'S SYMPHONY

SSN-E: 3007-2034

ISSN-P: 3007-2026

Website link: <https://www.tsfn.com/>

Exploring Evolution: A Brief Journey through Mechanisms and Milestones

Shahid Ali

To cite this article: Ali, S. 2023. Exploring Evolution: A Brief Journey through Mechanisms and Milestones. *Nature's Symphony*, 1(2):01-07.

DOI: <https://doi.org/10.69547/NS.12.01>

Article QR



Published online: 25 July 2023

Submit your article to this journal: <https://tsfjb.com/ojs/index.php/tsfn/about/submissions>

View archive: <https://tsfjb.com/ojs/index.php/tsfn/issue/archive/>



NATURE'S SYMPHONY
Volume 1 Issue 2, Fall 2023

Exploring Evolution: A Brief Journey through Mechanisms and Milestones

Shahid Ali^{1*}

¹The University of Chicago

***Correspondence**

Shahid Ali

Email:

shahidali@uchicago.edu

Keywords: Evolution; Diversity; Natural selection; Charles Darwin; Mutation

ABSTRACT

This mini-review deals with the journey of evolution and the related mechanisms which play a pivotal role in diversification of living beings. Various factors are involved in the process like mutations and environment. Charles Darwin was the first one to propose the idea of natural selection which ensures the development of beneficial traits in species of a particular region, thus resulting in mass propagation. The review highlights the development of species ranging from unicellular organisms to multicellular complex species including the appearance of *Homo sapiens*. Various eras like Cambrian and Mesozoic periods have also been explained showing the changes in environmental conditions which resulted in the natural selection of different species. This review provides an understanding of mechanisms and milestones of evolution, helping in a better perception of life.

1. INTRODUCTION

Life has evolved into a diversity of species, ranging from towering trees to microscopic organisms, thriving both in optimum as well as harsh environments. This itself is a proof of the magnification of the evolutionary process, that demonstrate how life has transformed and diversified over gazillion years.

Evolution is a continuous process, affected by multiple factors, and shapes the world we live in (Futuyma, 2023). To understand how life adapts to changing environments, the diversification of different live forms, and even the process of speciation, a comprehensive understanding of the mechanisms of evolution is required.

Perhaps the first theory of evolution was put forward by Charles Darwin in 1859 in his book "On the Origin of Species". Even today, his observations serve as a keystone in the understanding of the evolutionary mechanisms (Searcy *et al.*, 2023).

He hypothesized that the phenotypic differences found in individuals can be heritable. Moreover, individuals possessing characters that help them adapt better to their surroundings make them fit for survival and therefore, these characters are passed to their progeny. When this process carries on for generations, the accumulation of the beneficial traits can lead to the appearance of new species.

Diverse areas of paleontology, comparative biology, and genetics support the theory of natural selection (Willemart, 2023). For example, clear signs of evolution of life forms have been observed in fossil records, with simpler organisms giving rise to more complex ones. Genetic studies revealed that all living beings share a common ancestor, and that the extent of genetic similarity between species reflects their evolutionary relationships. Furthermore, studies of development and comparative anatomy have shown noteworthy likenesses between organisms that diverged

millions of years ago, telling a shared evolutionary history.

This mini review will throw light over the major themes and mechanisms of evolution. The first section will deal with three main drivers of evolutionary change i.e., natural selection, genetic drift, and mutation. The second section will include some of the most significant events in the history of life, including the origin of life, the Cambrian Explosion, and the evolution of humans. Finally, the last section will discuss current research in the field of evolution and highlight some of the key questions that remain unanswered.

It is important to mention that several topics and disciplines have been included in the field of evolution. This mini review will throw light on selected themes but hope to provide a study can be a potential bedrock for further exploration and deeper understanding.

2. MECHANISMS OF EVOLUTION: UNVEILING THE DANCE OF CHANGE

Evolution comes into play with a combination of selection and chance. The three fundamental mechanisms of evolution are genetic drift, natural selection, and mutation each of which plays its significant role in evolutionary process.

2.1 Natural Selection: The Sculptor of Fitness

Darwin and Wallace supported the evolutionary process; Darwin explained the process particularly with the support of three logical principles. First is the “phenotypic variation” that deals with different physiological, morphological, and behavioral characteristics in different individuals. The second principle speaks about the “differential fitness” that individuals with different phenotypic traits exhibit different survival and

reproduction rates in a particular environment. Third principle relates to “heritable fitness” stating that parents and offsprings are correlated to each other for contributing to upcoming generations (Saccheri and Hanski, 2006). If, for example, a population displays a variety in traits, these typically arise from differences in genetic make-up, often called as mutations. When the environment changes, some of the members within a species tend to adapt the changes by evolving several characteristics, be it camouflage for a moth or swiftness for a gazelle. Such individuals are more likely to survive, passing on their advantageous genes to future generations. Over generations, this competition of survival and reproduction leads to the gradual collection of beneficial traits, molding the population towards higher fitness.

Evidence for Natural Selection's Sculpting Power Abounds:

- **Antibiotic resistance:** Bacteria constantly undergo mutations and evolve to adapt harsh environments by resisting antibiotics which allow them to survive and reproduce (Morrison and Zembower, 2020).
- **Industrial melanism:** In peppered moth populations, the prevalence of darker moths enhanced during the Industrial Revolution due to their better camouflage against soot-covered trees. This validates how environmental change can drive natural selection (Vellend, 2016).
- **Mimicry:** Some harmless species have evolved to dangerous ones, ensuring protection from predators through natural selection. This showcases the intricate adaptations that can arise (Ruxton *et al.*, 2019).

Natural selection, however, is not a deterministic force. Its effectiveness depends on the presence of heritable variation and the strength of environmental pressures.



2.2 Genetic Drift: The Game of Chance

Despite the phenomenal working of natural selection, evolution also comprise an element of chance – genetic drift. Imagine a small population, perhaps due to a bottleneck event like a flood or volcanic eruption. The random sampling of alleles during reproduction can lead to changes in allele frequencies in the population, even in the absence of selection. This is genetic drift, the stochastic fluctuations in allelic frequencies that can sometimes lead to the loss of genetic diversity or even the fixation of unfavorable alleles. While seemingly random, genetic drift has noteworthy consequences:

- **Founder effect:** With colonization in a new environment, genetic drift can lead to populations with different allelic frequencies compared to the parent population. This is observed in island populations, where unique adaptations can arise (Hey *et al.*, 2005).
- **Loss of genetic diversity:** Genetic drift can limit a population's adaptivity to future environmental changes, thus reducing genetic diversity. This is a concern for endangered species with small population sizes (Erard, 2004).

While genetic drift plays a smaller role in large populations, it can have a substantial impact in forming the evolutionary pathways of small populations and contributing to speciation.

2.3 Mutation: The Spark of Novelty

Evolution is a dynamic process which can introduce random changes in DNA, whether single nucleotide substitutions or larger chromosomal rearrangements termed as mutations. These be beneficial, harmful, or neutral. However, most of the mutations turned out to be dangerous ones and undergo elimination by natural selection, some provide the raw material for evolution by creating novel traits. Mutations play a crucial role in:

- **Origin of new genes:** Mutations leading to genetic duplications can result in the creation of new genes and their functions which has always been a pivotal step in the emergence of complex characters (Hughes *et al.*, 1989).
- **Antibiotic resistance:** Mutations in bacterial DNA can be advantageous like the antibiotic resistance (Morrison and Zembower, 2020).
- **Cancer development:** Mutations, if harmful, can disturb the gene regulation and can lead to uncontrollable division of cells leading to cancer development (Hanahan and Weinberg, 2000). This highlights the delicate balance necessary in gene regulation.

2.3.1 The Rate of Mutation

The rate of mutation varies across different regions, organisms and even within the genome. Some regions in the genome are more likely to be affected by the mutations than others (Lynch, 2010). Literature reports the correlation of genetic drift in comprehending the concept of mutation-rate evolution. It was observed that most of the mutations are lethal, he argued that due to natural selection, mutator alleles are randomly selected by recombination that are generated elsewhere in the genome and are passed on to the next generation (Lynch *et al.*, 2016). To counter these random harmful changes, organisms have developed repair mechanisms. Hence, it is important to understand the prevalence of mutations in a population to predict the evolutionary process and new genetic variations.

2.3.2 The Role of Environment in Mutation

Despite random mutations, the environment can also influence which type of mutation can be beneficial for a particular type of a population in a specific time (Carja *et al.*, 2014). For instance, increased radiation can



increase the rate of mutations which can affect the fitness of an organisms in a particular environment. This plays a key role in diversification as well as adaptation of organisms.

3. Major Events in Evolution: Milestones on the Tree of Life

Evolution comprises of a long list of important events, starting from the origin of life and all the way to the evolution of human beings.

3.1 The Origin of Life

The origin of life remains debated and actively researched. One of the major debates was spontaneous generation. Scientists like

Francesco Redi (experiments on rotting meat and maggots), John Needham and Lazzaro Spallanzani (experiments on chicken broth) supported the idea of spontaneous generation by stating the presence of “vita force” which results in the spontaneous formation of living beings. This idea was disproved by Louis Pasteur (swan-necked flasks experiments) who disproved the spontaneous generation and came up with the concept of “biogenesis” i.e., livings things are produced from other living things (Blais, 1979). Moving on with the idea of creation of life from living organisms, what is certain is that life arose approximately 3.8 billion years ago, marking the first chapter in evolution's epic tale. Figure 1 highlights the major events that had contributed in the evolutionary journey.




Figure 1. The chronological timeline from past to present highlighting significant evolutionary events

3.2 The Cambrian Explosion

Around 541 million years ago, a period called as the Cambrian Explosion (Erwin, 2020), observed a noteworthy modification of life forms. Progression was seen from simple unicellular to complex multicellular organisms that spread from lands to the depths of oceans,

showcasing an astonishing arrangement of body forms. Organisms like arthropods, mollusks, and chordates trace back to this key era, suggesting a decisive point in evolution (Tang, 2018).

3.3 The Evolution of Plants

Around 470 million years ago, plants appeared on land with adaptations required for colonization. These adaptations include surviving desiccation, obtaining nutrients from the soil, and reproducing even without water by evolving their vasculature and reproductive systems. Such advancements helped the plants to flourish resulting in the formation of a terrestrial zone (Jill Harrison, 2017).

3.4 The Rise of Dinosaurs

The Mesozoic era (252-66 million years) was marked by the supremacy of dinosaurs where diverse reptiles dominated for approximately 180 million years. They adapted to the environment with modifications in the mode of nutrition i.e., herbivores or carnivores and bipedalism. Such adaptations help them to survive in several diverse ecological niches (Benton, 2024).

3.5 The Rise of Mammals

The mass extinction of dinosaurs was followed by the diversification of mammals from ordinary to well-equipped organisms like insulating fur, warm-bloodedness, and developed brains. (Werdelin and Sanders, 2010).

3.6 The Evolution of Primates

Primates showed up within the diverse group of mammals, characterized by grasping hands, larger brains, and strong eyesight. The history highlights the divergence in our lineage from the primates, thus embarking on an exclusive evolutionary pathway. Key events include the evolution of bipedalism, free hands for tool use, and the use of complex language, thus, acquiring physical and cognitive traits that define us as *Homo sapiens* through innovation and adaptation (Fleagle, 2013).

3.7 The Emergence of Homo Sapiens

We, *Homo sapiens*, are estimated to have emerged around 300,000 years ago exhibiting the advancement of tools, structural complexation, and language as hallmarks of our lineage. (Barash, 2012).

4. CONCLUSION

Evolution is continuously shaping the life on Earth based on natural selection, mutation, and genetic drift. Each process plays an important role in introducing astonishing diversity among the species ranging from the unicellular simple organisms to complex multicellular individuals. It is of the fact that a major part of evolutionary study remains unfold. To comprehend those concepts, it is essential to become cognizant of the mechanisms that come into play for development and progression that will help in revealing the conundrum of evolutionary pathway.

Conflict of Interest:

The author declares no conflict of interest.

REFERENCES

- Barash, D. P. 2012. *Homo mysterious: Evolutionary puzzles of human nature*. Oxford University Press.
- Benton, M. J. 2024. The dinosaur boom in the Cretaceous. *Geological Society, London, Special Publications*, 544:SP544-2023-2070.
- Blais, M. P. 1979. Microbiology, by Eugene W. Nester, C. Evans Roberts, Nancy N. Pearsall, and Brian J. McCarthy. National Association of Biology Teachers.
- Carja, O., Liberman, U. and Feldman, M. W. 2014. Evolution in changing environments: Modifiers of mutation, recombination, and migration. *Proceedings of the National Academy of Sciences*, 111:17935-17940.



- Erard, C. 2004. Frankham, R., Ballou, JD & Briscoe, DA—Introduction to conservation genetics. Cambridge University Press, Cambridge, New York, Melbourne, Madrid & Cape Town. 2003. *Revue d'Écologie (La Terre et La Vie)*, 59:612-613.
- Erwin, D. H. 2020. Evolutionary dynamics of gene regulation. *Current topics in developmental biology*. Elsevier. pp. 407-431.
- Fleagle, J. 2013. *Primate adaptation and evolution*. Academic press.
- Futuyma, D. J. 2023. The Evolving Evolutionary Synthesis. *Evolutionary Biology: Contemporary and Historical Reflections Upon Core Theory*. Springer. pp. 517-541.
- Hanahan, D. and Weinberg, R. A. 2000. The hallmarks of cancer review. *Cell*, 100:57-70.
- Hey, J., Fitch, W. M. and Ayala, F. J. 2005. Systematics and the origin of species: An introduction. National Acad Sciences, pp. 6515-6519.
- Hughes, D., Thompson, S., O'Connor, M., Tuohy, T., Nichols, B. and Atkins, J. 1989. Genetic characterization of frameshift suppressors with new decoding properties. *Journal of bacteriology*, 171:1028-1034.
- Jill Harrison, C. 2017. Development and genetics in the evolution of land plant body plans. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372:20150490.
- Lynch, M. 2010. Evolution of the mutation rate. *TRENDS in Genetics*, 26:345-352.
- Lynch, M., Ackerman, M. S., Gout, J.-F., Long, H., Sung, W., Thomas, W. K. and Foster, P. L. 2016. Genetic drift, selection and the evolution of the mutation rate. *Nature Reviews Genetics*, 17:704-714.
- Morrison, L. and Zembower, T. R. 2020. Antimicrobial resistance. *Gastrointestinal Endoscopy Clinics*, 30:619-635.
- Ruxton, G. D., Allen, W. L., Sherratt, T. N. and Speed, M. P. 2019. *Avoiding attack: the evolutionary ecology of crypsis, aposematism, and mimicry*. Oxford university press.
- Saccheri, I. and Hanski, I. 2006. Natural selection and population dynamics. *Trends in Ecology & Evolution*, 21:341-347.
- Searcy, C. A., Howell, H. J., David, A. S., Rumelt, R. B. and Clements, S. L. 2023. Patterns of Non-Native Species Introduction, Spread, and Ecological Impact in South Florida, the World's Most Invaded Continental Ecoregion. *Annual review of ecology, evolution, and systematics*, 54:195-218.
- Tang, Q. 2018. *Paleobiology, Biostratigraphy, and Taphonomy of Neoproterozoic Eukaryotes and Cambrian Animals with Carbonaceous Preservation*. Virginia Tech.
- Vellend, M. 2016. The theory of ecological communities (MPB-57). *The theory of ecological communities (MPB-57)*. Princeton University Press.
- Werdelin, L. and Sanders, W. J. 2010. *Cenozoic mammals of Africa*. Univ of California Press.
- Willemart, R. H. 2023. The evolution of the concept of sensory ecology and the influence of behavioral ecology. *Anais da Academia Brasileira de Ciências*, 95:e20220302.

